

Elternsprechtagsanwendung (ESTA) - Fehler #134

Terminliste der Lehrer

21.03.2013 22:34 - Matthias Unterbusch

Status:	Erledigt	Beginn:	21.03.2013
Priorität:	Normal	Abgabedatum:	
Zugewiesen an:	David Mock	% erledigt:	100%
Kategorie:	Front-End	Geschätzter Aufwand:	0:00 Stunde
Zielversion:	1.0		

Beschreibung

bei den terminlisten der lehrer ist die tabelle für termine unter firefox zu breit
der tab ist rechts und verschiebt die tabelle

```
<div class="wrapper">
  <div class="row contain-to-grid">
    <div class="eleven columns offset-by-one">
      <div class="header" title="Elternsprechtag">
        <div class="header-school-logo">
          <div id="logo_artikel">
            <div id="logo_school_border">
              
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
  <div class="row contain-to-grid sticky" id="js_menu" style="visibility: vis
ible;">
    <div class="twelve columns text-center">
      <a href="" data-reveal-id="MenuModal">
        <span class="menu-icon" aria-hidden="true" data-icon="">
          </span>
          </a>
        </div>
      </div>
    </div>
  </div>
  <ul style="display: none;" class="nav-bar js_hide nojs_menu" id="yw3">
    <li>
      <a href="/~est/est_trunk/index.php?r=Appointment/index">
        <span class="nav-icons" aria-hidden="true" data-icon="">
          </span>
          </a>
          </li>
      <a href="/~est/est_trunk/index.php?r=Appointment/getTeacher">
        <span class="nav-icons" aria-hidden="true" data-icon="">
          </span>
          </a>
          </li>
      <a href="/~est/est_trunk/index.php?r=ParentChild/index">
        <span class="nav-icons" aria-hidden="true" data-icon="">
          </span>
          </a>
          </li>
      <a href="/~est/est_trunk/index.php?r=User/account">
        <span class="nav-icons" aria-hidden="true" data-icon="">
          </span>
          </a>
          </li>
      <a href="/~est/est_trunk/index.php?r=site/logout">
        <span class="nav-icons" aria-hidden="true" data-icon="">
          </span>
          </a>
          </li>
    </ul>
  <div class="push">
    <div class="row">
      <div class="twelve columns centered">
        </div>
      </div>
    </div>
  <div class="row">
    <div class="twelve columns">
      <h2 class="subheader">Termine für
Peter Grüning
      </h2>
      <hr>
      <div style="display: block;" class="panel js_show">
```

Hier können Sie Termine mit dem Lehrer vereinbaren.

Klicken Sie einfach auf ein Feld mit "Verfügbar" und bestätigen Sie am Ende der Seite den Termin.

```
</div>
<div style="display: block;" class="js_show">
<div class="ui-tabs ui-widget ui-widget-content ui-corner-all" style="border:none;" id="yw0">
<ul role="tablist" class="ui-tabs-nav ui-helper-reset ui-helper-clearfix ui-widget-header ui-corner-all">
<li aria-selected="true" aria-labelledby="ui-id-1" aria-controls="yw0_tab_0" tabindex="0" role="tab" class="ui-state-default ui-corner-top ui-tabs-active ui-state-active"><a id="ui-id-1" tabindex="-1" role="presentation" class="ui-tabs-anchor" href="#yw0_tab_0" title="#yw0_tab_0">20.10.2014</a></li>
</ul>
<div aria-hidden="false" aria-expanded="true" role="tabpanel" class="ui-tabs-panel ui-widget-content ui-corner-bottom" aria-labelledby="ui-id-1" id="yw0_tab_0">
<div style="display:none;" id="date-ui-id-2">20.10.2014</div>
<table>
<thead>
<tr>
<th class="table-text" width="40%">Uhrzeit</th>
<th class="table-text" width="60%">Termin</th>
</tr>
</thead>
<tbody>
<tr>
<td id="time-ui-id-2_1" class="table-text">17:00</td>
<td style="cursor: pointer;" id="ui-id-2_1" class="available table-text">VERFÜGBAR</td>
</tr>
<tr>
<td id="time-ui-id-2_2" class="table-text">17:15</td>
<td class="occupied table-text">BELEGT</td>
</tr>
<tr>
<td id="time-ui-id-2_3" class="table-text">17:30</td>
<td style="cursor: pointer;" id="ui-id-2_3" class="available table-text">VERFÜGBAR</td>
</tr>
<tr>
<td id="time-ui-id-2_4" class="table-text">17:45</td>
<td style="cursor: pointer;" id="ui-id-2_4" class="available table-text">VERFÜGBAR</td>
</tr>
<tr>
<td id="time-ui-id-2_5" class="table-text">18:00</td>
<td class="occupied table-text">BELEGT</td>
</tr>
<tr>
<td id="time-ui-id-2_6" class="table-text">18:15</td>
<td style="cursor: pointer;" id="ui-id-2_6" class="available table-text">VERFÜGBAR</td>
</tr>
<tr>
<td id="time-ui-id-2_7" class="table-text">18:30</td>
<td class="occupied table-text">BELEGT</td>
</tr>
<tr>
<td id="time-ui-id-2_8" class="table-text">18:45</td>
<td style="cursor: pointer;" id="ui-id-2_8" class="available table-text">VERFÜGBAR</td>
</tr>
</tbody>
</table>
</div>
</div>
<div style="display: none;" class="row js_hide">
<div class="twelve columns">
<h4 class="subheader text-center">20.10.2014</h4>
<div style="display:none;" id="date-ui-id-2">20.10.2014</div>
<table>
<thead>
<tr>
<th class="table-text" width="40%">Uhrzeit</th>
<th class="table-text" width="60%">Termin</th>
</tr>
</thead>
<tbody>
<tr>
<td id="time-ui-id-2_1" class="table-text">17:00</td>
<td style="cursor: pointer;" id="ui-id-2_1" class="available table-text">VERFÜGBAR</td>
</tr>
<tr>
<td id="time-ui-id-2_2" class="table-text">17:15</td>
<td class="occupied table-text">BELEGT</td>
</tr>
<tr>
<td id="time-ui-id-2_3" class="table-text">17:30</td>
<td style="cursor: pointer;" id="ui-id-2_3" class="available table-text">VERFÜGBAR</td>
</tr>
<tr>
<td id="time-ui-id-2_4" class="table-text">17:45</td>
<td style="cursor: pointer;" id="ui-id-2_4" class="available table-text">VERFÜGBAR</td>
</tr>
<tr>
<td id="time-ui-id-2_5" class="table-text">18:00</td>
<td class="occupied table-text">BELEGT</td>
</tr>
<tr>
<td id="time-ui-id-2_6" class="table-text">18:15</td>
<td style="cursor: pointer;" id="ui-id-2_6" class="available table-text">VERFÜGBAR</td>
</tr>
<tr>
<td id="time-ui-id-2_7" class="table-text">18:30</td>
<td class="occupied table-text">BELEGT</td>
</tr>
<tr>
<td id="time-ui-id-2_8" class="table-text">18:45</td>
<td style="cursor: pointer;" id="ui-id-2_8" class="available table-text">VERFÜGBAR</td>
</tr>
</tbody>
</table>
</div>
</div>
<form id="appointment-form" action="/~est/est_trunk/index.php?r=Appointment/makeAppointment&teacher=139" method="post">
<fieldset>
<legend>Termin</legend>
<div class="row collapse">
<div class="two columns">
<span class="prefix">Mit</span>
</div>
</div>
<div class="ten columns mobile-input">
<input id="Appointment[user_id]" disabled="" name="Appointment[
```

```

user_id]" value=" Peter Grüning" type="text"&gt;
    &lt;/div&gt;
&lt;/div&gt;
&lt;div style="display: block;" class="row collapse js_show"&gt;
    &lt;div class="two columns"&gt;
        &lt;span class="prefix"&gt;Am&lt;/span&gt;
    &lt;/div&gt;
    &lt;div class="ten columns mobile-input"&gt;
        &lt;input id="form_date" disabled="" value="" type="text"&gt;
    &lt;/div&gt;
&lt;/div&gt;
&lt;div style="display: block;" class="row collapse js_show"&gt;
    &lt;div class="two columns"&gt;
        &lt;span class="prefix"&gt;Um&lt;/span&gt;
    &lt;/div&gt;
    &lt;div class="ten columns mobile-input"&gt;
        &lt;input id="form_time" disabled="" value="" type="text"&gt;
    &lt;/div&gt;
&lt;/div&gt;
&lt;div style="display: none;" class="row collapse js_hide"&gt;
    &lt;div class="two columns"&gt;
        &lt;span class="prefix"&gt;Termin&lt;/span&gt;
    &lt;/div&gt;
    &lt;div class="ten columns mobile-input"&gt;
        &lt;div class="styled-select"&gt;
            &lt;select id="form_dateAndTime" name="Appointment[dateAndTime_id]"&gt;
&lt;optgroup label="20.10.2014"&gt;&lt;option value="929"&gt;20.10.2014 - 16:00&lt;/option&gt;&lt;
&lt;option value="930"&gt;20.10.2014 - 16:15&lt;/option&gt;&lt;option value="931"&gt;20.10.2014 - 16:
30&lt;/option&gt;&lt;option value="932"&gt;20.10.2014 - 16:45&lt;/option&gt;&lt;option value="933"
&gt;20.10.2014 - 17:00&lt;/option&gt;&lt;option value="934"&gt;20.10.2014 - 17:15&lt;/option&gt;&lt;
&lt;option value="935"&gt;20.10.2014 - 17:30&lt;/option&gt;&lt;option value="936"&gt;20.10.2014 - 17
:45&lt;/option&gt;&lt;option value="937"&gt;20.10.2014 - 18:00&lt;/option&gt;&lt;option value="938
"&gt;20.10.2014 - 18:15&lt;/option&gt;&lt;option value="939"&gt;20.10.2014 - 18:30&lt;/option&gt;&lt;
&lt;option value="940"&gt;20.10.2014 - 18:45&lt;/option&gt;&lt;option value="941"&gt;20.10.2014 - 1
9:00&lt;/option&gt;&lt;option value="942"&gt;20.10.2014 - 19:15&lt;/option&gt;&lt;option value="94
3"&gt;20.10.2014 - 19:30&lt;/option&gt;&lt;option value="944"&gt;20.10.2014 - 19:45&lt;/option&gt;
&lt;/optgroup&gt;&lt;optgroup label="20.10.2014"&gt;&lt;option value="965"&gt;20.10.2014 - 17:00&l
t;/option&gt;&lt;option value="966" disabled=""&gt;20.10.2014 - 17:15&lt;/option&gt;&lt;option val
ue="967"&gt;20.10.2014 - 17:30&lt;/option&gt;&lt;option value="968"&gt;20.10.2014 - 17:45&lt;/opti
on&gt;&lt;option value="969" disabled=""&gt;20.10.2014 - 18:00&lt;/option&gt;&lt;option value="970
"&gt;20.10.2014 - 18:15&lt;/option&gt;&lt;option value="971" disabled=""&gt;20.10.2014 - 18:30&lt;
/option&gt;&lt;option value="972"&gt;20.10.2014 - 18:45&lt;/option&gt;&lt;/optgroup&gt;&lt;/select
&gt;
            &lt;/div&gt;
        &lt;/div&gt;
    &lt;/div&gt;
&lt;div class="row collapse"&gt;
    &lt;div class="two columns"&gt;
        &lt;span class="prefix"&gt;Für&lt;/span&gt;
    &lt;/div&gt;
    &lt;div class="ten columns mobile-input"&gt;
        &lt;div class="styled-select"&gt;
            &lt;select name="Appointment[parent_child_id]"&gt;
                &lt;option
value="34"&gt;David Mock&lt;/option&gt;
                &lt;option
value="35"&gt;Christian Ehringfeld&lt;/option&gt;
                &lt;option
value="36"&gt;Matthias Unterbusch&lt;/option&gt;
            &lt;/select&gt;
        &lt;/div&gt;
    &lt;/div&gt;
&lt;/div&gt;
&lt;input class="button right" value="Bestätigen" type="submit"&gt;
&lt;/fieldset&gt;
&lt;input value="139" type="hidden"&gt;
&lt;/form&gt; &lt;/div&gt;

```

```

</div>
    <div class="push"></div>
<div class="row">
    <div id="sidebar" class="twelve columns">
        </div>
</div>
    <div class="push"></div>
</div>

    <div id="footer">
        <div class="row">
            <div class="twelve columns">
                <span style="display: inline;" id="print_button" class="nav-icons small button
js_show" aria-hidden="true" data-icon="" onclick="window.print();" >&nbsp;&nbsp;&nbsp;Drucken</span>
                <hr>
            <div class="row">
                <div class="six columns">
                    <p>Copyright &copy; 2013 BWS Brühlwiesenschule Hofheim<br>
                    </p>
                <div class="six columns">
                    <ul class="link-list right" id="yw4">
<li><a href="/~est/est_trunk/index.php?r=site/page&view=impressum">Impressum</a
</li>
<li><a href="/~est/est_trunk/index.php?r=site/contact">Kontakt</a></li>
</ul>
                </div>
            </div>
        </div>
    </div>

    <div id="MenuModal" class="reveal-modal [small] nav-menu">
        <ul style="display:inherit;" class="nav-bar vertical" id="yw3">
<li><a href="/~est/est_trunk/index.php?r=Appointment/index"><span class="nav-icons"
aria-hidden="true" data-icon="" >&nbsp;&nbsp;&nbsp;Ihre Termine</span></a></li>
<li><a href="/~est/est_trunk/index.php?r=Appointment/getTeacher"><span class="nav-i
cons" aria-hidden="true" data-icon="" >&nbsp;&nbsp;&nbsp;Termine vereinbaren</span></a></li>
<li><a href="/~est/est_trunk/index.php?r=ParentChild/index"><span class="nav-icons"
aria-hidden="true" data-icon="" >&nbsp;&nbsp;&nbsp;Ihre Kinder</span></a></li>
<li><a href="/~est/est_trunk/index.php?r=User/account"><span class="nav-icons" aria
-hidden="true" data-icon="" >&nbsp;&nbsp;&nbsp;Ihr Account</span></a></li>
<li><a href="/~est/est_trunk/index.php?r=site/logout"><span class="nav-icons" aria-
hidden="true" data-icon="" >&nbsp;&nbsp;&nbsp;Logout</span></a></li>
</ul><a class="close-reveal-modal" data-icon="" style="color:#fff;"></a></div>
</div>
<script type="text/javascript" src="/~est/est_trunk/js/foundation.min.js"></script>
<script type="text/javascript" src="/~est/est_trunk/js/app.js"></script>
<script type="text/javascript" src="/~est/est_trunk/js/custom.js"></script>
<script type="text/javascript" src="/~est/est_trunk/assets/74e39262/jui/js/jquery-ui.min.js">
</script>
<script type="text/javascript">
/*&lt;! [CDATA[*
jQuery(function($) {
jQuery('#yw0').tabs({'collapsible':false});
});
/*&gt;>*/
</script>

```

```

<table class="yiiLog" style="border-spacing:1px;font:11px Verdana, Arial, Helvetica,
sans-serif;background:#EEEEEE;color:#666666;" cellpadding="2" width="100%">
<tbody><tr>
<th style="background:black;color:white;" colspan="6">
Ergebnis der Performance-Analyse
(Zeit: 0.20200s,
Speicher: 6,547KB)
</th>

```

```

</tr>
<tr style="background-color: #ccc;">
<th>Prozedur</th>
<th>Anzahl</th>
<th>Gesamt (s)</th>
<th>Durschn. (s)</th>
<th>Min. (s)</th>
<th>Max. (s)</th>
</tr>
<tr style="background:#FFFFFF">
<td>system.db.CDbCommand.query(SELECT COUNT() FROM `appointment` `t` WHERE `t`.`user_id`=:yp0 AND
`t`.`dateAndTime_id`=:yp1)</td>
<td align="center">24</td>
<td align="center">0.00434</td>
<td align="center">0.00018</td>
<td align="center">0.00015</td>
<td align="center">0.00035</td>
</tr> <tr style="background:#F5F5F5">
<td>system.db.CDbCommand.query(SHOW FULL COLUMNS FROM `user`)</td>
<td align="center">1</td>
<td align="center">0.00236</td>
<td align="center">0.00236</td>
<td align="center">0.00236</td>
<td align="center">0.00236</td>
</tr> <tr style="background:#FFFFFF">
<td>system.db.CDbCommand.query(SHOW FULL COLUMNS FROM `appointment`)</td>
<td align="center">1</td>
<td align="center">0.00167</td>
<td align="center">0.00167</td>
<td align="center">0.00167</td>
<td align="center">0.00167</td>
</tr> <tr style="background:#F5F5F5">
<td>system.db.CDbCommand.query(SHOW FULL COLUMNS FROM `date`)</td>
<td align="center">1</td>
<td align="center">0.00151</td>
<td align="center">0.00151</td>
<td align="center">0.00151</td>
<td align="center">0.00151</td>
</tr> <tr style="background:#FFFFFF">
<td>system.db.CDbCommand.query(SHOW FULL COLUMNS FROM `parent_child`)</td>
<td align="center">1</td>
<td align="center">0.00146</td>
<td align="center">0.00146</td>
<td align="center">0.00146</td>
<td align="center">0.00146</td>
</tr> <tr style="background:#F5F5F5">
<td>system.db.CDbCommand.query(SHOW FULL COLUMNS FROM `dateAndTime`)</td>
<td align="center">1</td>
<td align="center">0.00133</td>
<td align="center">0.00133</td>
<td align="center">0.00133</td>
<td align="center">0.00133</td>
</tr> <tr style="background:#FFFFFF">
<td>system.db.CDbCommand.query(SHOW FULL COLUMNS FROM `child`)</td>
<td align="center">1</td>
<td align="center">0.00121</td>
<td align="center">0.00121</td>
<td align="center">0.00121</td>
<td align="center">0.00121</td>
</tr> <tr style="background:#F5F5F5">
<td>system.db.CDbCommand.query(SHOW CREATE TABLE `appointment`)</td>
<td align="center">1</td>
<td align="center">0.00043</td>
<td align="center">0.00043</td>
<td align="center">0.00043</td>
<td align="center">0.00043</td>
</tr> <tr style="background:#FFFFFF">

```

```

<td>system.db.CDbCommand.query(SELECT * FROM `dateAndTime` `t` WHERE `t`.`date_id`=:yp0)</td>
<td align="center">2</td>
<td align="center">0.00042</td>
<td align="center">0.00021</td>
<td align="center">0.00019</td>
<td align="center">0.00023</td>
</tr> <tr style="background:#F5F5F5">
<td>system.db.CDbCommand.query(SELECT `date`.`id` AS `t1_c0`, `date`.`date` AS `t1_c1`, `date`.`begin` AS `t1_c2`,
`date`.`end` AS `t1_c3`, `date`.`durationPerAppointment` AS `t1_c4` FROM `date` `date` WHERE (`date`.`id`=:yp10))</td>
<td align="center">2</td>
<td align="center">0.00041</td>
<td align="center">0.00021</td>
<td align="center">0.00020</td>
<td align="center">0.00021</td>
</tr> <tr style="background:#FFFFFF">
<td>system.db.CDbCommand.query(SELECT COUNT() FROM `parent_child` `t` WHERE `t`.`user_id`=:yp0)</td>
<td align="center">4</td>
<td align="center">0.00038</td>
<td align="center">0.00010</td>
<td align="center">0.00009</td>
<td align="center">0.00010</td>
</tr> <tr style="background:#F5F5F5">
<td>system.db.CDbCommand.query(SELECT `child`.`id` AS `t1_c0`, `child`.`firstname` AS `t1_c1`, `child`.`lastname` AS `t1_c2`
FROM `child` `child` WHERE (`child`.`id`=:yp10))</td>
<td align="center">3</td>
<td align="center">0.00033</td>
<td align="center">0.00011</td>
<td align="center">0.00011</td>
<td align="center">0.00012</td>
</tr> <tr style="background:#FFFFFF">
<td>system.db.CDbCommand.query(SHOW CREATE TABLE `user`)</td>
<td align="center">1</td>
<td align="center">0.00032</td>
<td align="center">0.00032</td>
<td align="center">0.00032</td>
<td align="center">0.00032</td>
</tr> <tr style="background:#F5F5F5">
<td>system.db.CDbCommand.query(SHOW CREATE TABLE `dateAndTime`)</td>
<td align="center">1</td>
<td align="center">0.00027</td>
<td align="center">0.00027</td>
<td align="center">0.00027</td>
<td align="center">0.00027</td>
</tr> <tr style="background:#FFFFFF">
<td>system.db.CDbCommand.query(SELECT `user`.`id` AS `t1_c0`, `user`.`username` AS `t1_c1`, `user`.`password` AS `t1_c2`,
`user`.`activationKey` AS `t1_c3`, `user`.`createtime` AS `t1_c4`, `user`.`firstname` AS `t1_c5`, `user`.`state` AS `t1_c6`,
`user`.`lastname` AS `t1_c7`, `user`.`email` AS `t1_c8`, `user`.`title` AS `t1_c9` FROM `user` `user` WHERE (`user`.`id`=:yp10))</td>
<td align="center">1</td>
<td align="center">0.00026</td>
<td align="center">0.00026</td>
<td align="center">0.00026</td>
<td align="center">0.00026</td>
</tr> <tr style="background:#F5F5F5">
<td>system.db.CDbCommand.query(SHOW CREATE TABLE `parent_child`)</td>
<td align="center">1</td>
<td align="center">0.00025</td>
<td align="center">0.00025</td>
<td align="center">0.00025</td>
<td align="center">0.00025</td>
</tr> <tr style="background:#FFFFFF">
<td>system.db.CDbCommand.query(SHOW CREATE TABLE `date`)</td>
<td align="center">1</td>
<td align="center">0.00024</td>
<td align="center">0.00024</td>
<td align="center">0.00024</td>
<td align="center">0.00024</td>
</tr> <tr style="background:#F5F5F5">

```

```
<td>system.db.CDbCommand.query(SELECT * FROM `date` `t` ORDER BY date ASC LIMIT 3)</td>
<td align="center">1</td>
<td align="center">0.00020</td>
<td align="center">0.00020</td>
<td align="center">0.00020</td>
<td align="center">0.00020</td>
</tr> <tr style="background:#FFFFFF">
<td>system.db.CDbCommand.query(SHOW CREATE TABLE `child`)</td>
<td align="center">1</td>
<td align="center">0.00016</td>
<td align="center">0.00016</td>
<td align="center">0.00016</td>
<td align="center">0.00016</td>
</tr> <tr style="background:#F5F5F5">
<td>system.db.CDbCommand.query(SELECT * FROM `parent_child` `t` WHERE `t`.`user_id`=:yp0)</td>
<td align="center">1</td>
<td align="center">0.00013</td>
<td align="center">0.00013</td>
<td align="center">0.00013</td>
<td align="center">0.00013</td>
</tr></tbody></table>
```

Historie

#1 - 21.03.2013 22:55 - David Mock

- Status wurde von Neu zu Erledigt geändert

- % erledigt wurde von 0 zu 100 geändert

fixed!